

LETTER TO THE EDITOR

COMMENTS ON "SUCCESSFUL TREATMENT OF CHRONIC COCCYDYNIA WITH PERIPHERAL NERVE STIMULATION: A CASE REPORT"

Dear Editor:

We read your case report titled 'Successful Treatment of Chronic Coccydynia with Peripheral Nerve stimulation: A Case Report' with great interest which was informative and discusses a novel idea for the management of chronic coccydynia. (1)

Pain in coccydynia is mostly nociceptive; sometimes as in this case it may be mixed nociceptive and neuropathic. (2,3) Peripheral nerve stimulation is usually beneficial in neuropathic pain conditions; hence, it should be recommended in those cases of coccydynia where nature of pain is mixed nociceptive and neuropathic.

Anjali Singh, MD
Sanjay Gandhi Post graduate Institute of Medical Sciences, India
E-mail: anjalisingh111296@gmail.com

Sujeet Gautam, MD
Sanjay Gandhi Post graduate Institute of Medical Sciences, India

REFERENCES

1. Bawany MH, Sehgal N. Successful treatment of chronic coccydynia with peripheral nerve stimulation: A case report. *Pain Med Case Reps* 2022; 6:75-80.
2. Celenlioglu AE, Sir E. Predictive factors affecting treatment success in ganglion impar block applied in chronic coccygodynia. *Reg Anesth Pain Med* 2022: rapm-2022-103582.
3. Kim NH, Suk KS. Clinical and radiological differences between traumatic and idiopathic coccygodynia. *Yonsei Med J* 1999; 40:215-220.

